## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources		- ( -,,		0, 111 01 01	
Supplier's nam	e or trade mark:	OSRAM			
Supplier's addi	ess: LEDVANCE G	SmbH, Parkring 33, G	Garching, Germany		
Model identifie	er: AC34116				
Type of light so	ource:				
Lighting techno	ology used:	other FL	Non-directional or directional:	NDLS	
Light source cap-type		G13			
(or other electric interface)					
Mains or non-n	nains:	NMLS	Connected light source (CLS):	No	
Colour-tuneabl	e light source:	No	Envelope:	-	
High luminance light source:		No			
Anti-glare shield:		No	Dimmable:	Yes	
Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		39	Energy efficiency class	G	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 100 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode power (P <sub>on</sub> ), expressed in W		38,9	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80	
Outer	Height	984	Spectral power	See image	
dimensions	Width	25	distribution in the	in last page	
without	Depth	25			

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,463 0,420

(a)'-': not applicable; (b)'-': not applicable;

