Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	DLATION (LO) 2013	7 2013 With regard to ener	gy labelling of light			
Supplier's name or trade mark: PHILIPS Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, N						
Type of light source:						
Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	G4					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	No			
	Product pa	rameters				
Parameter	Value	Parameter	Value			
General product parameters:						

Colour-tuneable	e light source:	No	Envelope:	-			
High luminance	light source:	No					
Anti-glare shield	l:	No	Dimmable:	No			
Product parameters							
Parameter		Value	Parameter	Value			
	General product parameters:						
Energy consun mode (kWh/10 up to the neares	00 h), rounded	1	Energy efficiency class	E			
		120 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode p expressed in W	ower (P _{on}),	1,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00			
Networked stand for CLS, express rounded to the	ssed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80			
Outer	Height	35	Spectral power	See image			
dimensions	Width	13	distribution in the	in last page			
without	Depth	13		Page 1 / 3			

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	10			
		Chromaticity coordinates (x and y)	0,434			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	9 0	Survival factor	0,90			
the lumen maintenance factor	0,93					

(a)'-': not applicable; (b)'-': not applicable;

