Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Cupplier's pers	o or trade meets	SICOR		
	e or trade mark:			
Supplier's addi	ress: SIGOR Licht (GmbH, Eichenhofer	Weg 81, 42279 Wupper	tal, DE
Model identifi	er: 4501601			
Type of light so	ource:			
Lighting techno	ology used:	LED	Non-directional or directional:	NDLS
Light source ca	p-type	-		
(or other electric interface)				
Mains or non-r	mains:	NMLS	Connected light source (CLS):	No
Colour-tuneabl	le light source:	Yes	Envelope:	-
High luminance	e light source:	No		
Anti-glare shield:		No	Dimmable:	Yes
		Product para	T	
Parameter		Value	Parameter	Value
		General product p	T	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		3	Energy efficiency class	F
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		188 in Narrow cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P _{on}), expressed in W		2,2	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,04
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	85
Outer dimensions	Height	380	Spectral power	See image
	Width	110	distribution in the	in last page
without	Depth	8		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	2			
		Chromaticity coordinates (x and y)	0,440			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	23	Survival factor	0,90			
the lumen maintenance factor	0,94					

(a)'-': not applicable; (b)'-': not applicable;

